

# **Goals of Emotion Regulation**

#### **UNDERSTAND AND NAME** YOUR OWN EMOTIONS

☐ Identify (observe and describe) your emotions.	
☐ Know what emotions do for you.	
☐ Other:	
DECREASE THE FREQUENC OF UNWANTED EMO	
☐ Stop unwanted emotions from starting in the first place.	
☐ Change unwanted emotions once they start.	
Other:	
DECREASE EMOTIONAL VULNERA	ABILITY
☐ Decrease vulnerability to emotion mind.	
$\hfill \square$ Increase resilience, your ability to cope with difficult thing	s and positive emotions.
Other:	
DECREASE EMOTIONAL SUFFE	RING
☐ Reduce suffering when painful emotions overcome you.	
☐ Manage extreme emotions so that you don't make things	worse.
□ Other:	

# Handouts for Understanding and Naming Emotions

				:	
				· · · · · · · · · · · · · · · · · · ·	
		: : : :			
	·				
		:			
				:	
1994-41-41		:	<u> </u>		

# Overview: **Understanding and Naming Emotions**

#### WHAT EMOTIONS DO FOR YOU

There are reasons why we have emotions.

We need them!

#### FACTORS THAT MAKE **REGULATING EMOTIONS HARD**

Lack of skills, reinforcing consequences, moodiness, rumination/ worrying, myths about emotions, and biology can interfere with changing emotions.

#### A MODEL FOR DESCRIBING EMOTIONS

Emotions are complex responses.

Changing any part of the system can change the entire response.

#### WAYS TO DESCRIBE EMOTIONS

Learning to observe, describe, and name your emotion can help you regulate your emotions.

# What Emotions Do for You

#### **EMOTIONS MOTIVATE (AND ORGANIZE) US FOR ACTION**

- Emotions motivate our behavior. Emotions prepare us for action. The action urge of specific emotions is often "hard-wired" in biology.
- Emotions save time in getting us to act in important situations. Emotions can be especially important when we don't have time to think things through.
- Strong emotions help us overcome obstacles—in our minds and in the environment.

#### **EMOTIONS COMMUNICATE TO (AND INFLUENCE) OTHERS**

- Facial expressions are hard-wired aspects of emotions. Facial expressions communicate faster than words.
- Our body language and voice tone can also be hard-wired. Like it or not, they also communicate our emotions to others.
- When it is important to communicate to others, or send them a message, it can be very hard to change our emotions.
- Whether we intend it or not, our communication of emotions influences others.

#### **EMOTIONS COMMUNICATE TO OURSELVES**

- Emotional reactions can give us important information about a situation. Emotions can be signals or alarms that something is happening.
- Gut feelings can be like intuition—a response to something important about the situation. This can be helpful if our emotions get us to check out the facts.
- Caution: Sometimes we treat emotions as if they are facts about the world: The stronger the emotion, the stronger our belief that the emotion is based on fact. (Examples: "If I feel unsure, I am incompetent," "If I get lonely when left alone, I shouldn't be left alone," "If I feel confident about something, it is right," "If I'm afraid, there must be danger," "I love him, so he must be OK.")
- If we assume that our emotions represent facts about the world, we may use them to justify our thoughts or our actions. This can be trouble if our emotions get us to ignore the facts.

# What Makes It Hard to Regulate Your Emotions


BIOLOGY	
☐ Biological factors can make emotion regulation harder.	
LACK OF SKILL	
☐ You don't know what to do to regulate your emotions.	
REINFORCEMENT OF EMOTIONAL BEHAV	IOR
☐ Your environment reinforces you when you are highly em	otional.
MOODINESS	
Your current mood controls what you do instead of your V	Vice Mind
☐ You don't really want to put in time and effort to regulate y	/our emotions.
EMOTIONAL OVERLOAD	
EMOTIONAL OVERLOAD	T Company
High emotional arousal causes you to reach a skills break	kdown point.
You can't follow skills instructions or figure out what to do	
EMOTION MYTHS	
Myths (e.g., mistaken beliefs) about emotions get in the washility to regulate emotions.	ay of your
$oldsymbol{\square}$ Myths that emotions are bad or weak lead to avoiding	emotions.
Myths that extreme emotions are necessary or are par keep you from trying to regulate your emotions.	

# **Myths about Emotions**

1.	There is a right way to feel in every situation.  Challenge:
2.	Letting others know that I am feeling bad is a weakness.  Challenge:
3.	Negative feelings are bad and destructive.  Challenge:
4.	Being emotional means being out of control.  Challenge:
5.	Some emotions are stupid.  Challenge:
6.	All painful emotions are a result of a bad attitude.  Challenge:
7.	If others don't approve of my feelings, I obviously shouldn't feel the way I do.  Challenge:
8.	Other people are the best judges of how I am feeling.  Challenge:
9.	Painful emotions are not important and should be ignored.  Challenge:
10.	Extreme emotions get you a lot further than trying to regulate your emotions.  Challenge:
11.	Creativity requires intense, often out-of-control emotions.  Challenge:
12.	Drama is cool.  Challenge:
13.	It is inauthentic to try to change my emotions.  Challenge:
14.	Emotional truth is what counts, not factual truth.  Challenge:
15.	People should do whatever they feel like doing.  Challenge:
16.	Acting on your emotions is the mark of a truly free individual.  Challenge:
17.	My emotions are who I am.  Challenge:
18.	My emotions are why people love me.  Challenge:
19.	Emotions can just happen for no reason.  Challenge:
20.	Emotions should always be trusted.  Challenge:
21.	Other myth:
	Challenger



# **Model for Describing Emotions**



From DBT Skills Training Handouts and Worksheets, Second Edition by Marsha M. Linehan. Copyright 2015 by Marsha M. Linehan. Permission to photocopy this handout is granted to purchasers of this book for personal use only (see copyright page for details).



# Ways to Describe Emotions

#### **ANGER WORDS**

anger aggravation agitation annoyance	bitterness exasperation ferocity frustration	fury grouchiness grumpiness hostility	indignation irritation outrage rage	vengefulness wrath
armoyance	irustration	nostility	rage	

#### **Prompting Events for Feeling Anger**

- Having an important goal blocked.
- You or someone you care about being attacked or threatened by others.
- Losing power, status, or respect.
- Not having things turn out as expected.
- Physical or emotional pain.
- Other: \_\_\_\_\_

#### Interpretations of Events That Prompt Feelings of Anger

- Believing that you have been treated unfairly.
- Blaming.
- · Believing that important goals are being blocked or stopped.
- Believing that things "should" be different than they are.
- Rigidly thinking, "I'm right."
- Judging that the situation is illegitimate or wrona.
- Ruminating about the event that set off the anger in the first place.

		•	
0	Other:		

#### Biological Changes and Experiences of Anger

- Muscles tightening.
- Teeth clamping together.
- Hands clenching.
- Feeling your face flush or get hot.
- Feeling like you are going to explode.
- · Being unable to stop tears.
- · Wanting to hit someone, bang the wall, throw something, blow up.
- Wanting to hurt someone.
- Other:

#### **Expressions and Actions of Anger**

- Physically or verbally attacking.
- Making aggressive or threatening gestures.
- Pounding, throwing things, breaking things.
- · Walking heavily, stomping, slamming doors.
- Walking out.
- Using a loud, quarrelsome, or sarcastic voice.
- Using obscenities or swearing.
- · Criticizing or complaining.

- Clenching your hands or fists.
- Frowning, not smiling, mean expression.
- Brooding or withdrawing from others.
- Crying.
- Grinning.
- A red or flushed face.

#### Aftereffects of Anger

- Narrowing of attention.
- Attending only to the situation that's making you angry.
- Ruminating about the situation making you angry or about situations in the past.
- Imagining future situations that will make you
- Depersonalization, dissociative experiences, numbness.

∩tŀ	ner:
UШ	101.

(continued on next page)

Note. Adapted from Table 3 in Shaver, P., Schwartz, J., Kirson, D., & O'Connor, C. (1987). Emotion knowledge: Further exploration of a prototype approach. Journal of Personality and Social Psychology, 52(6), 1061–1086. Copyright 1987 by the American Psychological Association.

# EMOTION REGULATION HANDOUT 6 (p. 2 of 10)

#### **DISGUST WORDS**

disgust aversion dislike distaste repugnance resentment sickened abhorrence condescension derision hate repelled revolted spite antipathy contempt disdain loathing repulsion scorn vile

#### **Prompting Events for Feeling Disgust**

- Seeing/smelling human or animal waste products.
- Having a person or an animal that is dirty. slimy, or unclean come close to you.
- · Tasting something or being forced to swallow something you really don't want.
- Seeing or being near a dead body.
- Touching items worn or owned by a stranger, dead person, or disliked person.
- Observing or hearing about a person who grovels or who strips another person of dignity.

- · Seeing blood; getting blood drawn.
- Observing or hearing about a person acting with extreme hypocrisy/fawning.
- · Observing or hearing about betrayal, child abuse, racism, or other types of cruelty.
- Being forced to watch something that deeply violates your own Wise Mind values.
- Being confronted with someone who is deeply violating your own Wise Mind values.
- Being forced to engage in or watch unwanted sexual contact.

8	Other:	

#### Interpretations of Events That Prompt Feelings of Disgust

- Believing that:
  - You are swallowing something toxic.
  - Your skin or your mind is being contaminated.
  - Your own body or body parts are ugly.
  - · Others are evil or the "scum" of the earth, or that they disrespect authority or the aroup.
- Disapproving of/feeling morally superior to

- another.
- Extreme disapproval of yourself or your own feelings, thoughts, or behaviors.
- Judging that a person is deeply immoral or has sinned or violated the natural order of things.
- Judging someone's body as extremely ugly.
- Other:

#### **Biological Changes and Experiences of Disgust**

- Feelings of nausea; sick feeling.
- Urge to vomit, vomiting, gagging, choking.
- Having a lump in your throat.
- Aversion to drinking or eating.
- Intense urge to destroy or get rid of something.
- Urge to take a shower.
- Urge to run away or push away.
- · Feeling contaminated, dirty, unclean.
- · Feeling mentally polluted.
- Fainting.
- Other:

#### **Expressions and Actions of Disgust**

- · Vomiting, spitting out.
- Closing your eyes, looking away.
- Washing, scrubbing, taking a bath.
- Changing your clothes; cleaning spaces.
- Avoiding eating or drinking.
- Pushing or kicking away; running away.
- Treating with disdain or disrespect.
- Stepping over; crowding another person out.
- · Physically attacking causes of your disgust.
- Using obscenities or cursing.
- · Clenching your hands or fists.
- Frowning, or not smiling.
- Mean or unpleasant facial expression.
- · Speaking with a sarcastic voice tone.
- Nose and top lip tightened up; smirking.
- Other:

#### **Aftereffects of Disgust**

- Narrowing of attention.
- Ruminating about the situation that's making you feel disgusted.
- · Becoming hypersensitive to dirt.
- Other:

## **EMOTION REGULATION HANDOUT 6** (p. 3 of 10)

#### **ENVY WORDS**

envv craving displeased greed pettiness bitterness discontented dissatisfied "green-eyed" resentment covetous disgruntled down-hearted longing wishful

#### **Prompting Events for Feeling Envy**

- Someone has something you really want or need but don't or can't have.
- You are not part of the "in" crowd.
- · Someone appears to have everything.
- You are alone while others are having fun.
- Someone else gets credit for what you've done.
- Someone gets positive recognition for something and you don't.
- · Others get something you really want and you don't get it.
- Being around people who have more than you have.
- Someone you are competing with is more successful than you in an area important to you.

<ul><li>Other:</li></ul>	
--------------------------	--

#### Interpretations of Events That Prompt Feelings of Envy

- Thinking you deserve what others have.
- Thinking others have more than you.
- Thinking about how unfair it is that you have such a bad lot in life compared to others.
- Thinking you have been treated unfairly by
- Thinking you are unlucky.
- Thinking you are inferior, a failure, or

- mediocre in comparison to others whom you want to be like.
- · Comparing yourself to others who have more than you.
- Comparing yourself to people who have characteristics that you wish you had.
- Thinking you are unappreciated.
- Other: \_

#### **Biological Changes and Experiences of Envy**

- Muscles tightening.
- Teeth clamping together, mouth tightening.
- Feeling your face flush or get hot.
- Feeling rigidity in your body.
- Pain in the pit of the stomach.
- Having an urge to get even.
- Hating the other person.
- Wanting to hurt the people you envy.
- Wanting the person or people you envy to lose what they have, to have bad luck, or to be hurt.
- Feeling pleasure when others experience failure or lose what they have.
- Feeling unhappy if another person experiences some good luck.
- Feeling motivated to improve yourself.
- Other:

#### Expressions and Actions of Envy

- Doing everything you can to get what the other person has.
- Working a lot harder than you were to get what you want.
- Trying to improve yourself and your situation.
- Taking away or ruining what the other person
- Attacking or criticizing the other person.
- Doing something to get even.

- Doing something to make the other person fail or lose what he or she has.
- Saying mean things about the other person or making the person look bad to others.
- Trying to show the other person up, to look better than the other person.
- Avoiding persons who have what you want.
- Other:

#### Aftereffects of Envy

- Narrowing of attention.
- Attending only to what others have that you
- Ruminating when others have had more than
- Discounting what you do have; not

- appreciating things you have or things others do for you.
- Ruminating about what you don't have.
- Making resolutions to change.

þ	Other:	

## **EMOTION REGULATION HANDOUT 6** (p. 4 of 10)

**FEAR WORDS** fear dread horror shock uneasiness nervousness anxiety edginess overwhelmed hvsteria tenseness worry apprehension fright jumpiness panic terror **Prompting Events for Feeling Fear** • Having your life, your health, or your well- Silence. Being in a new or unfamiliar situation. being threatened. • Being in the same situation (or a similar one) • Being alone (e.g., walking alone, being home where you have been threatened or gotten alone, living alone). hurt in the past, or where painful things have · Being in the dark. · Being in crowds. happened. Leaving your home. Flashbacks. · Having to perform in front of others. • Being in situations where you have seen Pursuing your dreams. others threatened or be hurt. Other: Interpretations of Events That Prompt Feelings of Fear · Believing that: · Believing that: You will not get help you want or need. You might die, or you are going to die. • You might be hurt or harmed. You might lose help you already have. • You might lose someone important. You might lose something valuable. You might lose something you want. • Someone might reject, criticize, or dislike · You are helpless or are losing a sense of You will embarrass yourself. control. · You are incompetent or are losing mastery. Failure is possible; expecting to fail. Other: **Biological Changes and Experiences of Fear**  Breathlessness. Feeling nauseated. Getting cold; feeling clammy. Fast heartbeat. • Feeling your hairs standing on end. Choking sensation, lump in throat. Muscles tensing, cramping. • Feeling of "butterflies" in stomach. · Wanting to run away or avoid things. Clenching teeth. Other: Urge to scream or call out. **Expressions and Actions of Fear**  Talking yourself out of doing what you fear. Fleeing, running away. • Freezing, or trying not to move. Running or walking hurriedly. Hiding from or avoiding what you fear. Crying or whimpering. · Shaking, quivering, or trembling. Engaging in nervous, fearful talk. A shaky or trembling voice. Pleading or crying for help. Talking less or becoming speechless. Sweating or perspiring. · Diarrhea, vomiting. Screaming or yelling. · Darting eyes or quickly looking around. Hair erect. • Other: \_\_\_\_ Frozen stare. Aftereffects of Fear Imagining the possibility of more loss or Narrowing of attention.

- Being hypervigilant to threat.
- · Losing your ability to focus or becoming disoriented or dazed.
- · Losing control.

- failure.
- Isolating yourself.
- Ruminating about other threatening times.
- Other:

# EMOTION REGULATION HANDOUT 6 (p. 5 of 10)

#### **HAPPINESS WORDS**

happiness	satisfaction	joviality	exhilaration	ecstasy
joy	bliss	triumph	optimism	gladness
enjoyment	enthusiasm	contentment	zest	pride
relief	jolliness	excitement	eagerness	elation
amusement	thrill	iubilation	gaiety	glee
enthrallment	cheerfulness	zaniness	pleasure	rapture
hope	euphoria	delight	zeal	

#### **Prompting Events for Feeling Happiness**

- Receiving a wonderful surprise.
- Reality exceeding your expectations.
- Getting what you want.
- Getting something you have worked hard for or worried about.
- Things turning out better than you thought they would.
- Being successful at a task.
- Achieving a desirable outcome.
- Receiving esteem, respect, or praise.

- Receiving love, liking, or affection.
- Being accepted by others.
- · Belonging somewhere or with someone or a
- Being with or in contact with people who love or like you.
- Having very pleasurable sensations.
- · Doing things that create or bring to mind pleasurable sensations.

•	Other:	
---	--------	--

#### Interpretations of Events That Prompt Feelings of Happiness

 Interpreting joyful events just as they are, without adding or subtracting. Other:

#### **Biological Changes and Experiences of Happiness**

- Feeling excited.
- Feeling physically energetic, active.
- Feeling like giggling or laughing.
- Feeling your face flush.
- Feeling calm all the way through.
- Urge to keep doing what is associated with happiness.
- Feeling at peace.
- Feeling open or expansive.
- Other:

#### **Expressions and Actions of Happiness**

- · Smiling.
- Having a bright, glowing face.
- Being bouncy or bubbly.Communicating your good feelings.
- Sharing the feeling.
- · Silliness.

- Hugging people.
- Jumping up and down.
- Saying positive things.
- Using an enthusiastic or excited voice.
- Being talkative or talking a lot.
- Other:

#### **Aftereffects of Happiness**

- Being courteous or friendly to others.
- Doing nice things for other people.
- Having a positive outlook; seeing the bright
- Having a high threshold for worry or annoyance.
- Remembering and imagining other times you have felt joyful.
- Expecting to feel joyful in the future.

•	Other:		 	

# **EMOTION REGULATION HANDOUT 6** (p. 6 of 10)

#### **JEALOUSY WORDS**

jealous clutching fear of losing someone/ rivalrous wary cautious defensive something suspicious watchful clinging mistrustful possessive self-protective

#### **Prompting Events for Feeling Jealous**

- An important relationship is threatened or in danger of being lost.
- A potential competitor pays attention to someone you love.
- Someone:
  - Is threatening to take away important things in your life.
  - Goes out with the person you like.
  - Ignores you while talking to a friend of yours.
  - Is more attractive, outgoing, or selfconfident than you.

- You are treated as unimportant by a person you want to be close to.
- Your partner tells you that he or she desires more time alone.
- Your partner appears to flirt with someone else.
- A person you are romantically involved with looks at someone else.
- You find the person you love is having an affair with someone else.
- Other:
  \_\_\_\_\_\_

#### Interpretations of Events That Prompt Feelings of Jealousy

- Believing that:
  - Your partner does not care for you any more.
  - You are nothing to your partner.
  - Your partner is going to leave you.
  - Your partner is behaving inappropriately.
  - You don't measure up to your peers.
  - I deserve more than what you are receiving.
- · Believing that:
  - You were cheated.
  - No one cares about you.
  - Your rival is possessive and competitive.
  - Your rival is insecure.
  - Your rival is envious.
  - Other: \_\_\_\_\_\_

#### **Biological Changes and Experiences of Jealousy**

- Breathlessness.
- Fast heartbeat.
- Choking sensation, lump in throat.
- · Muscles tensing.
- · Teeth clenching.
- Becoming suspicious of others.
- Having injured pride.

- Feelings of rejection.
- Needing to be in control.
- · Feeling helpless.
- Wanting to grasp or keep hold of what you have.
- Wanting to push away or eliminate your rival.

#### **Expressions and Actions of Jealousy**

- Violent behavior or threats of violence toward the person threatening to take something away.
- Attempting to control the freedom of the person you are afraid of losing.
- Verbal accusations of disloyalty or unfaithfulness.
- Spying on the person.

- Interrogating the person; demanding accounting of time or activities.
- · Collecting evidence of wrongdoings.
- Clinging; enhanced dependency.
- Increased or excessive demonstrations of love.
- Other: \_\_\_\_\_

#### Aftereffects of Jealousy

- Narrowing of attention.
- Seeing the worst in others.
- Being mistrustful across the board.
- Being hypervigilant to threats to your relationships.
- Becoming isolated or withdrawn.

•	Other:	 	
		(continued on next page)	

# **EMOTION REGULATION HANDOUT 6** (p. 7 of 10)

#### **LOVE WORDS**

love adoration affection arousal

attraction caring charmed compassion desire

enchantment fondness infatuation kindness likina

limerence Ionging lust passion sentimentality

sympathy tenderness warmth

#### **Prompting Events for Feeling Love**

- A person:
  - · Offers or gives you something you want, need, or desire.
  - Does things you want or need.
  - Does things you particularly value or
- · Feeling physically attracted to someone.
- · Being with someone you have fun with.

- You spend a lot of time with a person.
- · You share a special experience with a
- You have exceptionally good communication with a person.
- Other:

#### Interpretations of Events That Prompt Feelings of Love

- · Believing that a person loves, needs, or appreciates you.
- Thinking that a person is physically attractive.
- Judging a person's personality as wonderful, pleasing, or attractive.
- Believing that a person can be counted on, or will always be there for you.
- Other:

#### **Biological Changes and Experiences of Love**

- When you are with or thinking about someone:
  - Feeling excited and full of energy.
  - Fast heartbeat.
  - Feeling self-confident.
  - Feeling invulnerable.
  - Feeling happy, joyful, or exuberant.
  - · Feeling warm, trusting, and secure.
  - · Feeling relaxed and calm.

- Wanting the best for a person.
- Wanting to give things to a person.
- Wanting to see and spend time with a person.
- Wanting to spend your life with a person.
- · Wanting physical closeness or sex.
- Wanting emotional closeness.

#### **Expressions and Actions of Love**

- · Saying "I love you."
- Expressing positive feelings to a person.
- Eye contact, mutual gaze.
- · Touching, petting, hugging, holding, cuddling.
- Sexual activity.

- · Smiling.
- Sharing time and experiences with someone.
- Doing things that the other person wants or needs.
- Other:

#### Aftereffects of Love

- Only seeing a person's positive side.
- Feeling forgetful or distracted; daydreaming.
- Feeling openness and trust.
- Feeling "alive," capable.
- Remembering other people you have loved.
- Remembering other people who have loved
- Remembering other positive events.
- Believing in yourself; believing you are wonderful, capable, competent.

Other:	

#### **EMOTION REGULATION HANDOUT 6** (p. 8 of 10)

#### **SADNESS WORDS**

sadness	disappointment	pity	crushed	disconnected	depression
despair	homesickness	anguish	displeasure	suffering	glumness
grief	neglect	dismay	insecurity	dejection	melancholy
misery agony	alienation discontentment	hurt rejection	sorrow defeat distraught	gloom loneliness unhappiness	alone woe

#### Prompting Events for Feeling Sadness

- Losing something or someone irretrievably.
- The death of someone you love.
- Things not being what you expected or
- Things being worse than you expected.
- Being separated from someone you care for.
- Getting what you don't want.
- Not getting what you have worked for.
- Not getting what you believe you need in life.
- Being rejected, disapproved of, or excluded.
- · Discovering that you are powerless or helpless.

- Being with someone else who is sad or in pain.
- Reading or hearing about other people's problems or troubles in the world.
- · Being alone, or feeling isolated or like an outsider.
- Thinking about everything you have not gotten.
- Thinking about your losses.
- Thinking about missing someone.
- Other:

#### Interpretations of Events That Prompt Feelings of Sadness

- Believing that a separation from someone will last for a long time or will never end.
- Believing that you will not get what you want or need in your life.
- Seeing things or your life as hopeless.
- Believing that you are worthless or not valuable.
- Other:

#### **Biological Changes and Experiences of Sadness**

- · Feeling tired, run down, or low in energy.
- · Feeling lethargic, listless; wanting to stay in bed all day.
- Feeling as if nothing is pleasurable any more.
- Pain or hollowness in your chest or gut.
- · Feeling empty.
- Feeling as if you can't stop crying, or if you
- ever start crying you will never be able to stop.
- Difficulty swallowing.
- Breathlessness.
- Dizziness.
- Other: \_\_\_\_

#### **Expressions and Actions of Sadness**

- Avoiding things.
- · Acting helpless; staying in bed; being inactive.
- Moping, brooding, or acting moody.
- Making slow, shuffling movements.
- Withdrawing from social contact.
- Avoiding activities that used to bring pleasure.
- Giving up and no longer trying to improve.
- Saying sad things.
- Talking little or not at all.
- Using a quiet, slow, or monotonous voice.
- · Eves drooping.
- Frowning, not smiling.
- Posture slumping.
- · Sobbing, crying, whimpering.
- Other:

#### **Aftereffects of Sadness**

- Not being able to remember happy things.
- Feeling irritable, touchy, or grouchy.
- Yearning and searching for the thing lost.
- Having a negative outlook.
- · Blaming or criticizing yourself.

- Ruminating about sad events in the past.
- Insomnia.
- Appetite disturbance, indigestion.

Otner:		
	(continued on next	page)

# **EMOTION REGULATION HANDOUT 6** (p. 9 of 10)

# SHAME WORDS

shame culpability embarrassment mortification shyness contrition discomposure humiliation self-conscious

#### **Prompting Events for Feeling Shame**

- · Being rejected by people you care about.
- Having others find out that you have done something wrong.
- Doing (or feeling or thinking) something that people you admire believe is wrong or immoral.
- Comparing some aspect of yourself or your behavior to a standard and feeling as if you do not live up to that standard.
- Being betrayed by a person you love.
- Being laughed at/made fun of.
- Being criticized in public/in front of someone else; remembering public criticism.
- Others attacking your integrity.

- Being reminded of something wrong, immoral, or "shameful" you did in the past.
- Being rejected or criticized for something you expected praise for.
- Having emotions/experiences that have been invalidated.
- Exposure of a very private aspect of yourself or your life.
- Exposure of a physical characteristic you dislike.
- Failing at something you feel you are (or should be) competent to do.

•	Other:	

#### Interpretations of Events That Prompt Feelings of Shame

- Believing that others will reject you (or have rejected you).
- Judging yourself to be inferior, not "good enough," not as good as others; selfinvalidation.
- Comparing yourself to others and thinking that you are a "loser."
- Believing yourself unlovable.
- Thinking that you are bad, immoral, or wrong.
- Thinking that you are defective.

- Thinking that you are a bad person or a failure.
- Believing your body (or a body part) is too big, too small, or ugly.
- Thinking that you have not lived up to others' expectations of you.
- Thinking that your behavior, thoughts, or feelings are silly or stupid.

Other:				
	Other:	Other:	Other:	Other:

#### **Biological Changes and Experiences of Shame**

- Pain in the pit of the stomach.
- Sense of dread.
- Wanting to shrink down and/or disappear.
- Wanting to hide or cover your face and body.
- Other: \_\_\_\_\_\_\_

#### **Expressions and Actions of Shame**

- Hiding behavior or a characteristic from other people.
- Avoiding the person you have harmed.
- Avoiding persons who have criticized you.
- Avoiding yourself—distracting, ignoring.
- Withdrawing; covering the face.
- Bowing your head, groveling.

- Appeasing; saying you are sorry over and over and over.
- Looking down and away from others.
- Sinking back; slumped and rigid posture.
- Halting speech; lowered volume while talking.
- Other:

Δ	fte	refi	fects	: ດf	Sh	ame
J		101		, ,,	~11	$\alpha \dots $

- Avoiding thinking about your transgression; shutting down; blocking all emotions.
- Engaging in distracting, impulsive behaviors to divert your mind or attention.
- High amount of "self-focus"; preoccupation with yourself.
- Depersonalization, dissociative experiences,
- numbness, or shock.
- · Attacking or blaming others.
- Conflicts with other people.
- Isolation, feeling alienated.
- Impairment in problem-solving ability.

•	Other:	
		(continued on next page)

# **EMOTION REGULATION HANDOUT 6** (p. 10 of 10)

#### **GUILT WORDS**

guilt

culpability

remorse

apologetic

regret

sorry

#### **Prompting Events for Feeling Guilt**

- Doing or thinking something you believe is wrong.
- Doing or thinking something that violates your personal values.
- Not doing something you said that you would do
- Committing a transgression against another person or something you value.
- Causing harm/damage to another person or object.
- · Causing harm/damage to yourself.
- Being reminded of something wrong you did in the past.
- Other:

#### Interpretations of Events That Prompt Feelings of Guilt

- Thinking that your actions are to blame for something.
- Thinking that you behaved badly.
- Thinking, "If only I had done something differently..."
- Other:

#### **Biological Changes and Experiences of Guilt**

- Hot, red face.
- Jitteriness, nervousness.

- Suffocating.
- Other:

#### **Expressions and Actions of Guilt**

- Trying to repair the harm, make amends for the wrongdoing, fix the damage, change the outcome.
- Asking for forgiveness, apologizing, confessing.
- · Giving gifts/making sacrifices to try to make up for the transgression.
- Bowing your head; kneeling before the person.

#### **Aftereffects of Guilt**

- Making resolutions to change.
- Making changes in behavior.
- Joining self-help programs.
- Other: \_\_\_\_\_\_

#### Other Important Emotion Words

- · Weariness, dissatisfaction, disinclination.
- Distress.
- Shyness, fragility, reserve, bashfulness, coyness, reticence.
- Cautiousness, reluctance, suspiciousness, caginess, wariness.
- Surprise, amazement, astonishment, awe, startle, wonder.
- Boldness, bravery, courage, determination.
- Powerfulness, a sense of competence, capability, mastery.
- Dubiousness, skepticism, doubtfulness.
- Apathy, boredom, dullness, ennui, fidgetiness, impatience, indifference, listlessness.